BELTS
FEATURED PRODUCTS

We choose the most qualified manufacturers, selected according to strict quality criteria. We have a wide range of standardized items in stock, ready for delivery, in addition to the items listed in our catalog.

GB RICAMBI®
Quality spare parts since 1962

INDEX

NON COGGED BELTS 1

COGGED BELTS 5

SERPENTINE BELTS 17

NON COGGED BELTS



LEGEND OF TRAPEZOIDAL NON COGGED BELTS DIMENSIONS

SECTION BELTS	W mm	Wd mm	T mm	d mm	V m/s
A	13	11	8	63	33
B	17	14	11	100	33
C	22	19	14	160	33
Z	10	8,5	6	50	33



W	nominal width of major base
Wd	pitch width
T	nominal width
d	minimum pulley diameter
V	maximum recommended belt speed

SMOOTH BELT (A)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
13X787	SMOOTH BELT (A)	13,00	8,00	787	810
13X855				850	880
13X965				965	990
13X1041				1.041	1.070
13X1090				1.090	1.130
13X1105				1.105	1.135
13X1143				1.143	1.175
13X1168				1.168	1.200
13X1180				1.180	1.210
13X1219				1.219	-
13X1220				1.220	1.250
13X1250				1.250	1.280
13X1270				1.270	1.300
13X1285				1.285	1.325
13X1295				1.295	1.325
13X1300				1.300	1.330
13X1320				1.320	1.360
13X1334				1.334	1.364
13X1372				1.372	1.410
13X1400				1.400	1.430

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
13X1435	SMOOTH BELT (A)	13,00	8,00	1.435	1.465
13X1475				1.475	1.510
13X1500				1.500	1.530
13X1550				1.550	1.580
13X1575				1.575	1.610
13X1625				1.625	1.660
13X1638				1.638	1.668
13X1651				1.651	1.690
13X1714				1.714	1.744
13X1725				1.725	1.760
13X1880				1.880	1.920
13X1900				1.900	1.930
13X1956				1.956	1.990
13X2000				2.000	2.050
13X3050				3.050	3.080
13X3150				3.150	3.190
13X3550				3.550	3.590

SMOOTH BELT (B)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
17X940	SMOOTH BELT (B)	17,00	11,00	940	983
17X1060				1.060	1.100
17X1143				1.150	1.190
17,5X1219				1.219	1.262
17X1270				1.270	1.310
17,5X1320				1.320	1.363
17X1410				1.410	1.453
17X1470				1.470	1.510
17X1525				1.525	1.560
17X1880				1.880	1.920
17X1900				1.900	1.950
17X1950				1.950	2.000
17,5X2007				2.007	2.050
17X2750				2.750	2.790
17X4572				4.572	4.612
17X4394				4.394	4.430

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

SMOOTH BELT (C)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
22X1650	SMOOTH BELT (C)	22,00	14,00	1.650	1.715
22X2108				2.108	2.173
22,3X2159				2.159	2.224
22X2160				2.160	2.225
22,3X2210				2.210	2.268
22X2337				2.337	2.402
22,3X2491				2.491	2.545
22X2591				2.591	2.656
22X2870				2.870	2.922
22X3100				3.100	3.165
22X3200				3.200	3.265
22X4750				4.750	4.808
22X5000				5.000	5.065
22X5283				5.283	5.348

SMOOTH BELT (Z)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
10X1320	SMOOTH BELT (Z)	10,00	6,00	1.320	1.350
10X1346				1.346	1.368
10X1411				1.411	1.433

VISIT SHOP.GBRICAMBI.IT - NON COGGED BELTS COMPLETE RANGE AND REAL-TIME UPDATES

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

COGGED BELTS



LEGEND OF TRAPEZOIDAL COGGED BELTS DIMENSIONS

SECTION BELTS	W mm	Wd mm	T mm	d mm	V m/s
AX	13	11	8	63	33
BX	17	14	11	100	33
CX	22	19	14	160	33
5VX	15	-	13	140	42
ZX	10	8,5	6	50	33
XPZ	9,7	8,5	8	63	42
D/32	32	27	20	300	33
XPA	12,7	11	10	90	42
XPB	16,3	14	13	140	42

W	nominal width of major base
Wd	pitch width
T	nominal width
d	minimum pulley diameter
V	maximum recommended belt speed



NOTCHED BELT (AX)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
13X635X	NOTCHED BELT (AX)	13,00	8,00	635	665
13X711X				711	741
13X737X				737	767
13X762X				762	792
13X800X				800	830
13X826X				826	856
13X838X				838	868
13X851X				851	881
13X864X				864	894
13X873X				873	-
13X876X				876	906
13X889X				889	919
13X902X				902	932
13X914X				914	944
13X940X				940	970

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
13X953X	NOTCHED BELT (AX)	13,00	8,00	953	983
13X965X				965	995
13X978X				978	1.008
13X991X				991	1.021
13X1003X				1.003	1.033
13X1016X				1.016	1.046
13X1029X				1.029	1.059
13X1041X				1.041	1.071
13X1054X				1.054	1.084
13X1067X				1.067	1.097
13X1080X				1.080	1.110
13X1092X				1.092	1.122
13X1105X				1.105	1.135
13X1118X				1.118	1.148
13X1130X				1.130	1.160
13X1168X				1.168	1.198
13X1181X				1.181	1.211
13X1194X				1.194	1.224
13X1200X				1.200	-
13X1206X				1.206	1.236
13X1219X				1.219	1.249
13X1232X				1.232	1.262
13X1245X				1.245	1.275
13X1257X				1.257	1.287
13X1270X				1.270	1.300
13X1283X				1.283	1.313
13X1295X				1.295	1.325
13X1308X				1.308	1.338
13X1321X				1.321	1.351
13X1334X				1.334	1.364
13X1346X				1.346	1.376
13X1359X				1.359	1.389
13X1372X				1.372	1.402
13X1397X				1.397	1.427
13X1410X				1.410	1.440
13X1422X				1.422	1.452
13X1448X				1.448	1.478
13X1460X				1.460	1.490
13X1473X				1.473	1.503
13X1486X				1.486	1.516
13X1499X				1.499	1.529
13X1511X				1.511	1.541
13X1524X				1.524	1.554

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
13X1549X	NOTCHED BELT (AX)	13,00	8,00	1.549	1.579
13X1575X				1.575	1.605
13X1600X				1.600	1.630
13X1626X				1.626	1.656
13X1651X				1.651	1.681
13X1664X				1.664	-
13X1689X				1.689	1.719
13X1702X				1.702	1.732
13X1753X				1.753	1.783
13X1778X				1.778	1.808
13X1803X				1.803	1.833
13X1816X				1.816	1.846
13X1829X				1.829	1.859
13X1845X				1.845	1.875
13X1854X				1.854	1.884
13X1880X				1.880	1.910
13X1905X				1.905	1.935
13X1918X				1.918	1.948
13X1956X				1.956	1.986
13X1981X				1.981	2.011
13X2007X				2.007	2.037
13X2083X				2.083	2.110
13X2184X				2.184	2.214
13X2235X				2.235	2.265

NOTCHED BELT (BX)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
17,5X914X	NOTCHED BELT (BX)	17,00	11,00	914	957
17,5X1143X				1.143	1.186

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
17,5X1181X	NOTCHED BELT (BX)	17,00	11,00	1.181	1.224
17,5X1206X				1.206	1.249
17,5X1219X				1.219	1.262
17X1230X				1.230	-
17,5X1232X				1.232	1.275
17,5X1257X				1.257	1.300
17,5X1270X				1.270	1.313
17,5X1295X				1.295	1.338
17,5X1334X				1.334	1.377
17,5X1372X				1.372	1.415
17,5X1397X				1.397	1.440
17,5X1410X				1.410	1.453
17,5X1422X				1.422	1.465
17,5X1435X				1.435	1.478
17,5X1473X				1.473	1.516
17,5X1511X				1.511	1.554
17,5X1549X				1.549	1.592
17,5X1562X				1.562	1.605
17,5X1575X				1.575	1.618
17,5X1613X				1.613	1.656
17,5X1626X				1.626	1.669
17,5X1638X				1.638	1.681
17,5X1676X				1.676	1.719
17,5X1689X				1.689	1.732
17,5X1702X				1.702	1.745
17,5X1727X				1.727	1.770
17,5X1753X				1.753	1.796
17,5X1778X				1.778	1.821
17,5X1791X				1.791	1.834
17,5X1803X				1.803	1.846
17,5X1842X				1.842	1.885
17,5X1854X				1.854	1.897
17,5X1880X				1.880	1.923
17,5X1892X				1.892	1.935
17,5X1943X				1.943	1.986
17,5X2007X				2.007	2.050
17,5X2057X				2.057	2.100
17,5X2108X				2.108	2.151
17,5X2184X				2.184	2.227
17,5X2642X				2.642	2.685
17,5X2692X				2.692	-
17,5X2769X				2.769	2.812

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

NOTCHED BELT (CX)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
22,3X1168X	NOTCHED BELT (CX)	22,30	14,00	1.168	1.233
22,3X1232X				1.232	1.297
22,3X1270X				1.270	1.335
22,3X1308X				1.308	1.373
22,3X1330X				1.330	1.395
22,3X1372X				1.372	1.437
22,3X1397X				1.397	1.462
22,3X1410X				1.410	1.475
22,3X1435X				1.435	1.500
22,3X1448X				1.448	1.513
22,3X1460X				1.460	1.525
22,3X1486X				1.486	1.551
22,3X1499X				1.499	1.564
22,3X1511X				1.511	1.576
22,3X1549X				1.549	1.614
22,3X1575X				1.575	1.640
22,3X1588X				1.588	1.653
22,3X1600X				1.600	1.665
22,3X1613X				1.613	1.678
22,3X1626X				1.626	1.691
22,3X1638X				1.638	1.703
22,3X1651X				1.651	1.716
22,3X1676X				1.676	1.741
22,3X1689X				1.689	1.754
22,3X1702X				1.702	1.767
22,3X1714X				1.714	1.779
22,3X1753X				1.753	1.818
22,3X1765X				1.765	1.830
22,3X1775X				1.775	1.843
22,3X1803X				1.803	1.868
22,3X1816X				1.816	1.881
22,3X1842X				1.842	1.907
22,3X1854X				1.854	1.919

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
22,3X1867X	NOTCHED BELT (CX)	22,30	14,00	1.867	1.932
22,3X1880X				1.880	1.945
22,3X1918X				1.918	1.983
22,3X1943X				1.943	2.008
22,3X1956X				1.956	2.021
22,3X1968X				1.968	2.033
22,3X1994X				1.994	2.059
22,3X2007X				2.007	2.072
22,3X2019X				2.019	2.084
22,3X2057X				2.057	2.122
22,3X2083X				2.083	2.148
22,3X2108X				2.108	2.173
22,3X2159X				2.159	2.224
22,3X2184X				2.184	2.249
22,3X2210X				2.210	2.275
22,3X2261X				2.261	2.326
22,3X2286X				2.286	2.351
22,3X2311X				2.311	2.376
22,3X2337X				2.337	2.402
22,3X2388X				2.388	2.453
22,3X2464X				2.464	2.529
22,3X2489X				2.489	2.554
22,3X2540X				2.540	2.605
22,3X2565X				2.565	2.630
22,3X2591X				2.591	2.656
22,3X2718X				2.718	2.783
22,3X2769X				2.769	2.834

NOTCHED BELT (5VX)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
15,9X889X	NOTCHED BELT (5VX)	15,90	13,00	889	-
15,9X1080X				1.080	-
15,9X1156X				1.156	-

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
15,9X1232X	NOTCHED BELT (5VX)	15,90	13,00	1.232	-
15,9X1245X				1.245	-
15,9X1295X				1.292	-
15,9X1308X				1.308	-
15,9X1359X				1.359	-
15,9X1410X				1.410	-
15,9X1448X				1.448	-
15,9X1460X				1.460	-
15,9X1473X				1.473	-
15,9X1486X				1.486	-
15,9X1499X				1.499	-
15,9X1524X				1.524	-
15,9X1562X				1.562	-
15,9X1588X				1.588	-
15,9X1613X				1.613	-
15,9X1639X				1.639	-
15,9X1664X				1.664	-
15,9X1689X				1.689	-
15,9X1740X				1.740	-
15,9X1752X				1.752	-
15,9X1778X				1.778	-
15,9X1803X				1.803	-
15,9X1816X				1.816	-
15,9X1892X				1.892	-
15,9X1918X				1.918	-
15,9X1956X				1.956	-
15,9X2007X				2.007	-
15,9X2032X				2.032	-
15,9X2057X				2.057	-
15,9X2083X				2.083	-
15,9X2108X				2.108	-
15,9X2134X				2.134	-
15,9X2135X				2.135	-
15,9X2159X				2.159	-
15,9X2184X				2.184	-
15,9X2210X				2.210	-
15,9X2235X				2.235	-
15,9X2261X				2.261	-
15,9X2286X				2.286	-
15,9X2388X				2.388	-
15,9X2413X				2.413	-
15,9X2438X				2.438	-
15,9X2489X				2.489	-
15,9X2515X				2.515	-

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

NOTCHED BELT (ZX)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
9,6X540X	NOTCHED BELT (ZX)	10,00	6,00	540	562
10,5X560X				560	582
9,6X711X				711	733
9,6X724X				724	746
9,6x749X				750	772
9,6X775X				775	797
9,6X813X				813	835
9,6X838X				838	860
9,6X927X				927	949
9,6X940X				940	962
9,6X991X				991	1.013
9,6X1003X				1.003	1.025
9,6X1041X				1.041	1.063
9,6X1092X				1.092	1.114
9,6X1105X				1.105	1.127
9,6X1118X				1.118	1.140
9,6X1156X				1.156	1.178
9,6X1215X				1.215	-
9,6X1245X				1.245	1.267
9,6X1257X				1.257	1.279
9,6X1270X				1.270	1.292
9,6X1283X				1.283	1.305
9,6X1308X				1.308	1.330
9,6X1321X				1.321	1.343
9,6X1359X				1.359	1.381
9,6X1372X				1.372	1.394
9,6X1410X				1.410	1.432
9,7X1450VX				1.450	-
9,6X1524X				1.524	1.546
9,6X1549X				1.549	1.571
9,6X1575X				1.575	1.597
9,6X1600X				1.600	1.622
9,6X1676X				1.676	1.698

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

NOTCHED BELT (XPZ)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
XPZ1012	NOTCHED BELT (XPZ)	9,7	8	1012	-
XPZ1202				1202	-
0313020000				1400	-

NOTCHED BELT (SERIE 20)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
20X1216X	NOTCHED BELT (20)	20,00	12,00	1.216	-

NOTCHED BELT (SERIE 25)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
25,5X1245X	NOTCHED BELT (25)	25,00	16,00	1.245	-
25,5X1270X				1.270	-
25,5X1334X				1.334	-

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

NOTCHED BELT (D/32)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
31,8X1537X	NOTCHED BELT (D/32)	32,00	19,00	1.537	-
31,8X1562X				1.562	-

NOTCHED BELT (XPB)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
XPB1320	NOTCHED BELT (XPB)	16,3	13	1.320	-
XPB1340				1.340	-
XPB1400				1.400	-
XPB1450				1.450	-
XPB1500				1.500	-
XPB1590				1.590	-
XPB1600				1.600	-
XPB1650				1.650	-
XPB1700				1.700	-
XPB1750				1.750	-
XPB1900				1.900	-

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

NOTCHED BELT (XPA)



ITEM	DESCRIPTION	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm	INITIAL DIAMETER mm
XPA1032	NOTCHED BELT (XPA)	12,7	10	1.032	-
XPA1120				1.120	-



VISIT SHOP.GBRICAMBI.IT - COGGED BELTS COMPLETE RANGE AND REAL-TIME UPDATES

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

SERPENTINE BELTS





SERPENTINE BELTS



ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
3PK1155	3	10,68	5,00	1.155
4PK780	4	14,24		780
4PK800				800
4PK812				812
4PK0835				835
4PK885				885
4PK908				908
4PK918				918
4PK925				925
4PK960				960
4PK0985				985
4PK990				990
4PK1015				1.015
4PK1028				1.028
4PK1066				1.066
4PK1080				1.080
4PK1145				1.145
4PK1270				1.270
4PK1358				1.358
4PK1380				1.380
4PK1410				1.410
4PK1422				1.422
4PK2240				2.240
5PK865	5	17,80		865
5PK890				890
5PK0940				940
5PK975				975
5PK1155				1.155
5PK1230				1.230
5PK1270				1.270
5PK1282				1.282
5PK1320				1.320
5PK1435				1.435

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
5PK1676	5	17,80	5,00	1.676
5PK2082				2.082
5PK2680				2.680
6PK1055	6	21,36		1.055
6PK1107				1.107
6PK1120				1.120
6PK1130				1.130
6PK1143				1.143
6PK1155				1.155
6PK1180				1.180
6PK1205				1.205
6PK1230				1.230
6PK1257				1.257
6PK1300				1.300
6PK1310				1.310
6PK1330				1.330
6PK1365				1.365
6PK1390				1.390
6PK1420				1.420
6PK1455				1.455
6PK1460				1.460
6PK1510				1.510
6PK1529				1.529
6PK1530				1.530
6PK1549				1.549
6PK1574				1.574
6PK1612				1.612
6PK1700				1.700
6PK1714				1.714
6PK1740				1.740
6PK1750				1.750
6PK1755				1.755
6PK1778				1.778
6PK1790				1.790
6PK1795				1.795
6PK1818				1.818
6PK1842				1.842
6PK1854				1.854
6PK1905				1.905
6PK1930				1.930
6PK1955				1.955
6PK1981				1.981
6PK2019				2.019
6PK2032				2.032

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
6PK2082	6	21,36	5,00	2.082
6PK2095				2.095
6PK2100				2.100
6PK2120				2.120
6PK2146				2.146
6PK2160				2.160
6PK2195				2.195
6PK2205				2.205
6PK2210				2.210
6PK2225				2.225
6PK2275				2.275
6PK2306				2.306
6PK2413				2.413
6PK2428				2.428
6PK2530				2.530
6PK2552				2.552
6PK2870				2.870
7PK980	7	24,92		980
7PK1282				1.282
7PK1404				1.404
7PK1739				1.739
7PK1790				1.790
7PK1800				1.800
8PK0800	8	28,48		800
8PK0830				830
8PK0915				915
8PK1015				1.015
8PK1035				1.035
8PK1054				1.054
8PK1080				1.080
8PK1095				1.095
8PK1143				1.143
8PK1158				1.158
8PK1180				1.180
8PK1220				1.220
8PK1230				1.230
8PK1285				1.285
8PK1310				1.310
8PK1320				1.320
8PK1335				1.335
8PK1345				1.345
8PK1350				1.350
8PK1367				1.367
8PK1380				1.380

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
8PK1390	8	28,48	5,00	1.390
8PK1400				1.400
8PK1410				1.410
8PK1415				1.415
8PK1425				1.425
8PK1435				1.435
8PK1440				1.440
8PK1450				1.450
8PK1460				1.460
8PK1470				1.470
8PK1475				1.475
8PK1490				1.485
8PK1500				1.500
8PK1509				1.509
8PK1525				1.525
8PK1536				1.536
8PK1550				1.550
8PK1562				1.562
8PK1575				1.575
8PK1582				1.582
8PK1585				1.585
8PK1590				1.590
8PK1600				1.600
8PK1615				1.615
8PK1625				1.625
8PK1635				1.635
8PK1650				1.650
8PK1658				1.658
8PK1665				1.665
8PK1685				1.685
8PK1688				1.688
8PK1700				1.700
8PK1709				1.709
8PK1714				1.714
8PK1716				1.716
8PK1725				1.725
8PK1740				1.740
8PK1755				1.755
8PK1762				1.762
8PK1765				1.765
8PK1778				1.778
8PK1780				1.780

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
8PK1790				1.790
8PK1795				1.795
8PK1798				1.798
8PK1805				1.805
8PK1815				1.815
8PK1818				1.818
8PK1830				1.830
8PK1840				1.840
8PK1855				1.855
8PK1865				1.865
8PK1890				1.890
8PK1892				1.892
8PK1900				1.900
8PK1905				1.905
8PK1910				1.910
8PK1915				1.915
8PK1930				1.930
8PK1956				1.956
8PK1965				1.965
8PK1981				1.981
8PK1986				1.986
8PK1990	8	28,48	5,00	1.990
8PK2000				2.000
8PK2005				2.005
8PK2020				2.020
8PK2040				2.040
8PK2045				2.045
8PK2050				2.050
8PK2055				2.055
8PK2082				2.082
8PK2085				2.085
8PK2095				2.095
8PK2110				2.110
8PK2128				2.128
8PK2135				2.135
8PK2140				2.140
8PK2146				2.146
8PK2160				2.160
8PK2170				2.170
8PK2180				2.180
8PK2190				2.190
8PK2205				2.205
8PK2210				2.210

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
8PK2225	8	28,48	5,00	2.225
8PK2246				2.246
8PK2260				2.260
8PK2275				2.275
8PK2286				2.286
8PK2295				2.295
8PK2315				2.315
8PK2380				2.380
8PK2410				2.410
8PK2445				2.445
8PK2460				2.460
8PK2465				2.465
8PK2475				2.475
8PK2489				2.489
8PK2500				2.500
8PK2515				2.515
8PK2521				2.521
8PK2525				2.525
8PK2540				2.540
8PK2555				2.555
8PK2560				2.560
8PK2590				2.590
8PK2615				2.615
8PK2630				2.630
8PK2645				2.645
8PK2658				2.658
8PK2680				2.680
8PK2775				2.775
8PK2790				2.790
8PK2808				2.799
8PK2820				2.820
8PK2827				2.827
8PK2840				2.840
8PK2860				2.860
8PK2900				2.900
8PK3021				3.021
8PK3037				3.037
8PK3150				3.150
9PK1295	9	32,04		1.295
9PK1485				1.485
10PK1130	10	35,60		1.130
10PK1155				1.155
10PK1430				1.430
10PK1440				1.440

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

ITEM	GROOVES	WIDTH mm	HEIGHT mm	INTERNAL DIAMETER mm
10PK1442	10	35,60	5,00	1.442
10PK1447				1.447
10PK1460				1.460
10PK1475				1.475
10PK1487				1.487
10PK1505				1.505
10PK1541				1.541
10PK1569				1.569
10PK1600				1.600
10PK1612				1.612
10PK1663				1.663
10PK1805				1.805
10PK1958				1.958
10PK2002				2.002
10PK2054				2.054
10PK2215				2.215
10PK2435				2.435
10PK2562				2.562
12PK610	12	42,72		610
12PK1041				1.041
12PK1270				1.270
12PK1346				1.346
12PK1473				1.473
12PK1828				1.828
12PK1850				1.850
12PK1860				1.860
12PK1870				1.870
12PK1880				1.880
12PK2098				2.098
14PK1409	14	49,84		1.409
14PK1473				1.473
14PK1778				1.778
16PK1638	16	56,96		1.638
23PK2032	23	81,88		2.032

VISIT SHOP.GBRICAMBI.IT - SERPENTINE BELTS COMPLETE RANGE AND REAL-TIME UPDATES

All listed spare parts are interchangeable with the originals. Any brand names, symbols, and original part numbers are mentioned for reference only and are subject to change without prior notice by GB Ricambi. We disclaim any liability for any typographical or graphical errors contained in this document. Reserve for possible errors and technical modifications. The images contained in the catalog are purely indicative.

GB RICAMBI®
Quality spare parts since 1962

www.gbricambi.it
shop.gbricambi.it
gbexport@gbricambi.it
+39 059 583159
Via Di Mezzo 67/A, 41015
Nonantola (MO) Italia